

To: Christner, Jan[Jan.Christner@WestonSolutions.com]; Guy, Kerry[Guy.Kerry@epa.gov]
Cc: Miller, Jamie[JMiller@TechLawInc.com]; Petri, Elliott[Elliott.Petri@WestonSolutions.com];
Neville Kingham (neville@kinghamcsi.com)[neville@kinghamcsi.com]; Powell,
Greg[Powell.Greg@epa.gov]; Way, Steven[way.steven@epa.gov]
From: Matt Francis
Sent: Mon 8/17/2015 9:47:35 PM
Subject: RE: Updated Gold King Mine Discharge and Pond System Analytical Results

I'll definitely need the adit discharge data.

Sent via the Samsung Galaxy Note® 3, an AT&T 4G LTE smartphone

----- Original message -----

From: "Christner, Jan" <Jan.Christner@WestonSolutions.com>
Date: 08/17/2015 3:45 PM (GMT-07:00)
To: guy.kerry@epa.gov, Matt Francis <m.francis@erllc.com>
Cc: "Miller, Jamie" <JMiller@TechLawInc.com>, "Petri, Elliott" <Elliott.Petri@WestonSolutions.com>,
"Neville Kingham (neville@kinghamcsi.com)" <neville@kinghamcsi.com>, "Powell, Greg"
(Powell.Greg@epa.gov) <Powell.Greg@epa.gov>, "way.steven@epa.gov" <way.steven@epa.gov>
Subject: Updated Gold King Mine Discharge and Pond System Analytical Results

Attached is an Excel spreadsheet showing the Gold King Mine discharge and pond system discharge analytical results. Each location is shown on a different tab in the workbook. Two samples are available for each.

Gold King Mine discharge: 8/10/15 and 8/13/15
Pond System discharge: 8/11/15 and 8/13/15

I will add subsequent analytical results to the spreadsheet when they are available. Please let me know if you'd like to see these in a different format.

This spreadsheet has the results with no comparisons. Please let me know if anyone would like the version with comparisons of pre- and post settling results, variability between samples, and comparisons to various other data (pre-blowout, Gold King, standards for Cement Creek, etc).

Neville, please let Matt know if he should or shouldn't forward these with the RFP and if the settling basin outfall results should be deleted first.

Jan

Jan Christner
Weston Solutions, Inc.
505-269-1925 (cell)

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

Confidentiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, any dissemination, publication or

copying of this e-mail is strictly prohibited. Although this email has been scanned for malware, the sender does not accept any responsibility for any loss, disruption or damage to your data or computer system that may occur while using data contained in, or transmitted with, this e-mail. If you have received this e-mail in error, please immediately notify by return e-mail. Thank you.